SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

BUNNELL-LAMMONS ENGINEERING 2123
TOM LAMMONS
1200 WOODRUFF RD. STE B-7
GREENVILLE, SC 29607

Lab Number: 00-A5762
Sample ID: SW-1(119)
Sample Type: Ground water
Site ID:

Date Collected: 1/10/00
Time Collected: 16:00
Date Received: 1/15/00
Time Received: 9:00

Project:
Project Name:
Sampler: TOM LAMMON

Analyte	Result	Units	Report Limit	Mean Limit	Dil Factor	Date	Time	Analyst	Method	Batch
VOLATILE ORGANICS										
Acetone	ND	ug/l	10	10	1	1/17/00	14:59	K.Hill	8260B	5544
Benzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Bromobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Bromochloromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Bromoform	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Bromomethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
2-Butanone	ND	ug/l	10	10	1	1/17/00	14:59	K.Hill	8260B	5544
n-Butylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
sec-Butylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
t-Butylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Carbon disulfide	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Carbon tetrachloride	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Chlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Chloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
2-Chloroethylvinylether	ND	ug/l	5	2	1	1/17/00	14:59	K.Hill	8260B	5544
Chloroform	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Chloromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
2-Chlorotoluene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
4-Chlorotoluene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2-Dibromo-3-chloropropane	ND	ug/l	10	10	1	1/17/00	14:59	K.Hill	8260B	5544
Dibromochloromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2-Dibromoethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Dibromomethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,3-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,4-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Dichlorodifluoromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1-Dichloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2-Dichloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1-Dichloroethene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
cis-1,2-Dichloroethene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
trans-1,2-Dichloroethene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2-Dichloropropane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,3-Dichloropropane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
2,2-Dichloropropane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5762
Sample ID: SW-1(119)

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
1,1-Dichloropropene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
cis-1,3-Dichloropropene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
trans-1,3-Dichloropropene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Ethylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Hexachlorobutadiene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
2-Hexanone	ND	ug/l	10	10	1	1/17/00	14:59	K.Hill	8260B	5544
Isopropylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
4-Isopropyltoluene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
4-Methyl-2-pentanone	ND	ug/l	10	10	1	1/17/00	14:59	K.Hill	8260B	5544
Methylene chloride	ND	ug/l	5	5	1	1/17/00	14:59	K.Hill	8260B	5544
Naphthalene	ND	ug/l	5	2	1	1/17/00	14:59	K.Hill	8260B	5544
n-Propylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Styrene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1,1,2-Tetrachloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1,2,2-Tetrachloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Tetrachloroethene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Toluene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2,3-Trichlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2,4-Trichlorobenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1,1-Trichloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,1,2-Trichloroethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Trichloroethene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2,3-Trichloropropane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,2,4-Trimethylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
1,3,5-Trimethylbenzene	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Vinyl chloride	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Xylenes	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Bromodichloromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
Trichlorofluoromethane	ND	ug/l	2	2	1	1/17/00	14:59	K.Hill	8260B	5544
METALS										
Arsenic, Total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Barium, Total	0.0790	mg/l	0.0100	0.0100	1	1/20/00	8:46	G.Robinson	6010B	5498
Cadmium, total	ND	mg/l	0.0010	0.0010	1	1/20/00	8:46	G.Robinson	6010B	5498
Chromium, total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Lead	ND	mg/l	0.0030	0.0030	1	1/20/00	8:46	G.Robinson	6010B	5498
Mercury, Total	ND	mg/l	0.00020	0.00020	1	1/18/00	7:23	G.McCord	7470	5391
Selenium, Total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Silver, Total	ND	mg/l	0.00500	0.00500	1	1/20/00	8:46	G.Robinson	6010B	5498

ND = Not detected at the report limit.

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5762
Sample ID: SW-1(119)

Surrogate	% Recovery	Target Range
VOA Surr, 1,2-DCA, d4	105.	60. - 138.
VOA Surr, Toluene d8	100.	80. - 123.
VOA Surr, 4-BFB	101.	73. - 122.
VOA Surr, DBFM	114.	74. - 133.

These results relate only to the items tested.
This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By: Michael A. Dunn Report Date: 1/20/00

Theodore J. Duello, Ph.D., Lab Director
Michael H. Dunn, M.S., Technical Director
Johnny A. Mitchell, Dir. Technical Services
Eric Smith, Assistant Technical Director
Gail A Lage, Technical Services

Laboratory Certification Number: 387

End of Sample Report.

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

BUNNELL-LAMMONS ENGINEERING 2123
TOM LAMMONS
1200 WOODRUFF RD. STE B-7
GREENVILLE, SC 29607

Lab Number: 00-A5763
Sample ID: SW-2 (119)
Sample Type: Ground water
Site ID:

Date Collected: 1/10/00
Time Collected: 16:30
Date Received: 1/15/00
Time Received: 9:00

Project:
Project Name:
Sampler: TOM LAMMON

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
VOLATILE ORGANICS										
Acetone	ND	ug/l	10	10	1	1/17/00	15:37	K.Hill	8260B	5544
Benzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Bromobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Bromochloromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Bromoform	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Bromomethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
2-Butanone	ND	ug/l	10	10	1	1/17/00	15:37	K.Hill	8260B	5544
n-Butylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
sec-Butylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
t-Butylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Carbon disulfide	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Carbon tetrachloride	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Chlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Chloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
2-Chloroethylvinylether	ND	ug/l	5	2	1	1/17/00	15:37	K.Hill	8260B	5544
Chloroform	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Chloromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
2-Chlorotoluene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
4-Chlorotoluene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2-Dibromo-3-chloropropane	ND	ug/l	10	10	1	1/17/00	15:37	K.Hill	8260B	5544
Dibromochloromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2-Dibromoethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Dibromomethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,3-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,4-Dichlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Dichlorodifluoromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1-Dichloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2-Dichloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1-Dichloroethene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
cis-1,2-Dichloroethene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
trans-1,2-Dichloroethene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2-Dichloropropane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,3-Dichloropropane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
2,2-Dichloropropane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5763
Sample ID: SW-2 (119)

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
1,1-Dichloropropene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
cis-1,3-Dichloropropene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
trans-1,3-Dichloropropene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Ethylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Hexachlorobutadiene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
2-Hexanone	ND	ug/l	10	10	1	1/17/00	15:37	K.Hill	8260B	5544
Isopropylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
4-Isopropyltoluene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
4-Methyl-2-pentanone	ND	ug/l	10	10	1	1/17/00	15:37	K.Hill	8260B	5544
Methylene chloride	ND	ug/l	5	5	1	1/17/00	15:37	K.Hill	8260B	5544
Naphthalene	ND	ug/l	5	2	1	1/17/00	15:37	K.Hill	8260B	5544
n-Propylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Styrene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1,1,2-Tetrachloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1,2,2-Tetrachloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Tetrachloroethene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Toluene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2,3-Trichlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2,4-Trichlorobenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1,1-Trichloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,1,2-Trichloroethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Trichloroethene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2,3-Trichloropropane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,2,4-Trimethylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
1,3,5-Trimethylbenzene	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Vinyl chloride	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Xylenes	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Bromodichloromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
Trichlorofluoromethane	ND	ug/l	2	2	1	1/17/00	15:37	K.Hill	8260B	5544
METALS										
Arsenic, Total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Barium, Total	0.0890	mg/l	0.0100	0.0100	1	1/20/00	8:46	G.Robinson	6010B	5498
Cadmium, total	ND	mg/l	0.0010	0.0010	1	1/20/00	8:46	G.Robinson	6010B	5498
Chromium, total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Lead	ND	mg/l	0.0030	0.0030	1	1/20/00	8:46	G.Robinson	6010B	5498
Mercury, Total	ND	mg/l	0.00020	0.00020	1	1/18/00	7:23	G.McCord	7470	5391
Selenium, Total	ND	mg/l	0.0050	0.0050	1	1/20/00	8:46	G.Robinson	6010B	5498
Silver, Total	ND	mg/l	0.00500	0.00500	1	1/20/00	8:46	G.Robinson	6010B	5498

ND = Not detected at the report limit.

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5763
Sample ID: SW-2 (119)

Surrogate	% Recovery	Target Range
VOA Surr, 1,2-DCB, d4	108.	60. - 138.
VOA Surr, Toluene d8	101.	80. - 123.
VOA Surr, 4-BFB	99.	73. - 122.
VOA Surr, DBFM	117.	74. - 133.

These results relate only to the items tested.
This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By: Michael D. Dunn Report Date: 1/20/00

Theodore J. Duello, Ph.D., Lab Director
Michael H. Dunn, M.S., Technical Director
Johnny A. Mitchell, Dir. Technical Services
Eric Smith, Assistant Technical Director
Gail A Lage, Technical Services

Laboratory Certification Number: 387

End of Sample Report.

COPY 1

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

BUNNELL-LAMMONS ENGINEERING 2123
TOM LAMMONS
1200 WOODRUFF RD. STE B-7
GREENVILLE, SC 29607

Lab Number: 00-A5768
Sample ID: GP-1 (119)
Sample Type: Soil
Site ID:

Date Collected: 1/10/00
Time Collected: 9:50
Date Received: 1/15/00
Time Received: 9:00

Project:
Project Name:
Sampler: TOM LAMMON

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
ORGANIC PARAMETERS										
TPH (Diesel Range)	ND	mg/kg	9.77	4.00	1	1/17/00	23:55	K.Phelps	8015D/3550	5726
GENERAL CHEMISTRY PARAMETERS										
% Dry Weight	74.	%			1	1/18/00	9:20	C. Terry	CLP	6867

ND = Not detected at the report limit.

Sample Extraction Data

Parameter	Wt/Vol Extracted	Extract Vol	Date	Analyst	Method
EPH/DRO	25.6 gm	1.0 ml	1/15/00	C. Terry	3550

Surrogate	% Recovery	Target Range
surr-o-Terphenyl	74.	50. - 150.

All samples have been corrected for dry weight.

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5768
Sample ID: GP-1 (119)

These results relate only to the items tested.
This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By: _____ Report Date: 1/20/00

Theodore J. Duello, Ph.D., Lab Director
Michael H. Dunn, M.S., Technical Director
Johnny A. Mitchell, Dir. Technical Services
Eric Smith, Assistant Technical Director
Gail A Lage, Technical Services

Laboratory Certification Number: 387

End of Sample Report.

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

BUNNELL-LAMMONS ENGINEERING 2123
TOM LAMMONS
1200 WOODRUFF RD. STE B-7
GREENVILLE, SC 29607

Lab Number: 00-A3769
Sample ID: GP-2 (119)
Sample Type: Soil
Site ID:

Date Collected: 1/10/00
Time Collected: 13:00
Date Received: 1/15/00
Time Received: 9:00

Project:
Project Name:
Sampler: TOM LAMMON

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
ORGANIC PARAMETERS										
TPH (Diesel Range)	ND	mg/kg	9.76	4.00	1	1/18/00	0:24	K.Phelps	8015D/3550	5726
GENERAL CHEMISTRY PARAMETERS										
% Dry Weight	83.	%			1	1/18/00	9:20	C. Terry	CLP	6067

ND = Not detected at the report limit.

Sample Extraction Data

Parameter	Wt/Vol Extracted	Extract Vol	Date	Analyst	Method
EPH/DRO	25.1 gm	1.0 ml	1/15/00	C. Terry	3550

Surrogate	% Recovery	Target Range
Surr-o-Terphenyl	78.	50. - 150.

All samples have been corrected for dry weight.

Sample report continued . . .

SPECIALIZED ASSAYS, INC.

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 00-A5769
Sample ID: GP-2 (119)

These results relate only to the items tested.
This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By: Michael A Dunn Report Date: 1/20/00

Theodore J. Duello, Ph.D., Lab Director
Michael H. Dunn, M.S., Technical Director
Johnny A. Mitchell, Dir. Technical Services
Eric Smith, Assistant Technical Director
Gail A Lage, Technical Services

Laboratory Certification Number: 387

End of Sample Report.

Chain of Custody Record Ret- 2123

TESTAMERICA INC.

☐ Asheville, NC (A) (828) 254-5169	☐ Bartlett, IL (C) (630) 289-3100	☐ Cedar Falls, IA (E) (319) 277-2401	☐ Charlotte, NC (G) (704) 392-1164	☐ Dayton, OH (I) (937) 294-6856	☐ Lumberton, NC (K) (910) 738-6190	☑ Nashville, TN (M) (615) 726-0177	☐ Pontiac, MI (O) (248) 332-1940	☐ Rockford. Il (Q) (815) 874-2171
☐ Atlanta, GA (B) (770) 368-0636	☐ Brighton, CO (D) (303) 659-0497	☐ Charleston, SC (F) (843) 849-6550	☐ Columbia, SC (H) (803) 796-8989	☐ Davenport. IA (J) (319) 323-7944	☐ Indianapolis, IN (L) (317) 842-4261	☐ Macon, GA (N) (912) 757-0811	☐ Orlando, FL (P) (407) 851-2560	☐ Watertown, WI (R) (920) 261-1660

Client: BLE
Project No.: see comments
Report Address: 1200 Woodruff Rd B-7 GVC, S.C. 29607
Invoice Address:
Attn: Tom Lammons
Attn: Tom Lammons
Phone No.: 864-288-1265
Sampled By: T. Lammons
Fax No.:
P.O. No:
Quote No. KL 0001
State Samples Collected NC

TURNAROUND TIME
☒ Standard
☐ Rush (surcharges may apply)
Date Needed:

REQUESTED PARAMETERS

176227

Is this work being conducted for regulatory compliance monitoring? Yes___ No X

Is this work being conducted for regulatory enforcement action? Yes___ No X

Which regulations apply:
RCRA___ NPDESWastewater___
UST___ Drinking Water___
Other X None___

Sample ID	Date	Time	Comp (C) Grab (G)	Matrix	Lab Use	8260 None	TPH-DRO None	8 RCRA metals None	# and type of containers HCl	NaOH	HNO_3	H_2SO_4	Other	None	REMARKS
SW-1 (119)	1/10/00	1600	G	gw	5762	2		1							
SW-2 (119)	1/10/00	1630	G	gw	5763	2		1							
gp-1 (4)	1/10/00	1500	G	gw	5764	2		1							
gp-2 (4)	1/10/00	1540	G	gw	5765	2		1							
gp-1 (4)	1/10/00	1500	C	SO	5766		1								
gp-2 (4)	1/10/00	1530	C	SO	5767		1								
gp-1 (119)	1/10/00	950	C	SO	5768		1								
gp-2 (119)	1/10/00	1300	C	SO	5769		1								

Fax COC to Charlotte office FAX# (704) 392-9073

QC Deliverables: ☐ None ☐ Level 2 - Batch QC ☐ Level 3 ☐ Level 4 ☐ Other

Init Lab Temp

Rec Lab Temp 4.

COMMENTS: NO HCL preservation in VOA's must Extract TPH-DRO on 1-15-00!

Bill samples coded (119) to 599-1657-01
" " " (4) to 599-1658-01

Relinquished By: Tom Lammons	Date 1/10/00	Time 1900	Received By: Secure Cooler	Date 1/10/00	Time 1900
Relinquished By: Secure Cooler	Date 1/14/00	Time 1700	Received By: Fed EX	Date 1/14/00	Time 1700
Relinquished By:	Date	Time	Received By:	Date	Time
Relinquished By:	Date	Time	Received By: C. Allen	Date 1/15/00	Time 0900

LAB USE ONLY:
Custody Seal: ☐ Yes ☐ No ☐ N/A
Bottles Supplied by TA: ☐ Yes ☐ No